






ZONE	REV	DESCRIPTION	ECO NUMBER	DATE	APPROVED
	A	INITIAL RELEASE	557003	5.JUN.2023	.

NOTE:
 1.Storage temperature: -40~85°;
 2.Operating temperature:- 40~75°;
 3.The PWM frequency: 15KHz;
 4.Saturation voltage drop @100A: 0.1V
 5.There are no scratches and defects on the surface of the product;
 6.There are no burrs on the product;
 7. ▲ IS KEY DEMENSIONS;



<p>ALL RIGHT RESERVED NEITHER THIS PRINT NOR THE INFORMATION CONTAINED HEREON IS TO BE USED AGAINST THE INTERESTS OF SENSATA TECHNOLOGIES OR AGAINST THE INTERESTS OF ANY OF ITS AFFILIATED COMPANIES OR WHOLLY OWNED SUBSIDIARIES.</p>		<p>Sensata Technologies 18 CHUANGXIN ROAD XINBEI DISTRICT CHANGZHOU CHINA</p>	
<p>DRAWN . DATE .</p>	<p>INTERPRET DIMENSIONING AND TOLERANCING PER ASME Y14.5-2009. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS.</p> <p>TOLERANCES</p> <p>LINEAR .X ±0.3 .XX ±0.13 .XXX ±0.05</p>	<p>TITLE M701 DC Pump Motor Controller</p>	
<p>ENGINEER YIWEI WANG DATE 23.JUN.05</p>		<p>SIZE A3 NUMBER M701 SCALE 1:1</p>	<p>REV A SHEET 1 OF 1</p>
<p>APPROVED . DATE .</p>	<p>DO NOT SCALE DRAWING METHOD THIRD ANGLE PROJECTION</p>		